



**USAID**  
FROM THE AMERICAN PEOPLE



# OFF-GRID PRODUCTIVE USE OF ENERGY 2020 CATALOG

---

**Niger**

# ACRONYMS AND ABBREVIATIONS

<b>AC</b>	alternating current	<b>DIN</b>	Deutsches Institut für Normung
<b>Ah</b>	ampere hours	<b>EBZ</b>	Electro Education and Technology Center Dresden ( <i>Elektro Bildungs- und Technologiezentrum Dresden</i> )
<b>ALPS</b>	aquaculture, livestock, and poultry solutions	<b>EDA</b>	Energy of Africa ( <i>Energie d’Afrique</i> )
<b>AMMA</b>	Modern and Handcrafted Carpentry Workshop ( <i>Atelier de Menuiserie Moderne et Artisanal</i> )	<b>EN</b>	European Standard
<b>ASG</b>	African Solar Generation	<b>ESP</b>	Higher Polytechnic School of Dakar ( <i>Ecole Supérieur Polytechnique de Dakar</i> )
<b>C</b>	Celsius	<b>F</b>	Fahrenheit
<b>CAC</b>	Crop Aggregation Center	<b>FBO</b>	farmer-based organizations
<b>CDA</b>	controlled droplet application	<b>FES</b>	Free Engineering Services
<b>CDARMA</b>	Center for the Development of Rural Crafts and Agricultural Machinery ( <i>Centre de Développement de l’Artisanat Rural et du Machinisme Agricole</i> )	<b>GAM</b>	Group of Metal Artisans ( <i>Groupement des Artisans du Métal</i> )
<b>CPF</b>	Mbouo-Bandjoun Polyvalent Training Center ( <i>Centre Polyvalent de Formation de Mbouo-Bandjoun</i> )	<b>GIE</b>	Global International Energy
<b>DC</b>	direct current	<b>GIMAFOR</b>	Engineering, Management, Training, and Research Group ( <i>Groupe d’Ingénierie, de Management, de Formation et de Recherche</i> )
<b>DENG Ltd.</b>	Danish Engineering Limited		

# ACRONYMS AND ABBREVIATIONS

<b>GMACI</b>	Business Marketing and International Brokerage Group ( <i>Groupe Marketing des Affaires et Courtage International</i> )	<b>LV</b>	low volume
<b>GSM</b>	global system for mobile communications	<b>m</b>	meter
<b>h</b>	hours	<b>ml</b>	milliliter
<b>HP</b>	horsepower	<b>m<sup>2</sup></b>	square meters
<b>IEC</b>	International Electrotechnical Commission	<b>m<sup>3</sup></b>	cubic meters
<b>IP</b>	international protection	<b>MFI</b>	microfinance institution
<b>ISO</b>	International Organization for Standardization	<b>min</b>	minute
<b>KCIC</b>	Kenya Climate Innovation Center	<b>mm</b>	millimeter
<b>kg</b>	kilograms	<b>MPPT</b>	maximum power-point tracking
<b>kW</b>	kilowatts	<b>MSBHD</b>	mobile solar biomass hybrid dryer
<b>kWh</b>	kilowatt hours	<b>PAYGO</b>	pay-as-you-go
<b>kWp</b>	kilowatt peak ( <i>kilowatt crête</i> )	<b>PV</b>	photovoltaic
<b>L</b>	liters	<b>PUE</b>	productive use of energy
<b>LCB</b>	linear current booster	<b>RESEDA</b>	Network for the Development of Crafts ( <i>Réseau pour le Développement de l'Artisanat</i> )
		<b>SACCO</b>	savings and credit cooperative

# ACRONYMS AND ABBREVIATIONS

<b>SARL</b>	incorporated business ( <i>Société A Responsabilité Limitée</i> )	<b>Wp</b>	watt peak
<b>SAS</b>	Simplified Joint-Stock Company ( <i>Société par Actions Simplifiée</i> )	<b>ZECI</b>	Zola EDF Côte d'Ivoire
<b>SATECH</b>	African Society of Technology ( <i>Société Africaine de Technologies</i> )		
<b>SEV</b>	Sun Water Life ( <i>Soleil Eau Vie</i> )		
<b>SIZE ENR</b>	Ivorian Society of Energy Efficiency and Renewable Energies ( <i>Société Ivoirienne d'Efficacité Energétique et des Energies Renouvelables</i> )		
<b>SNV</b>	Netherlands Development Organization		
<b>T / Tel</b>	telephone number		
<b>ULV</b>	ultra-low volume		
<b>V</b>	volts		
<b>V DC</b>	volts direct current		
<b>V AC</b>	volts alternating current		
<b>W</b>	watts		

# ACKNOWLEDGEMENTS

The Off-grid Productive Use of Energy 2020 Catalog (this “Document”) was produced by RTI International for Power Africa. September 2020.

**Contract:** IDIQ No. 720-674-18-D-00004 | **Task Order:** 720-674-19-F-00005

RTI International is grateful for the cooperation of the companies with products featured in this Document and would like to thank everyone involved in the research, development, and review of the content included in the Document.

## **Particular thanks go to:**

- Practical Action for research and content development.
- CLASP for contributing and reviewing technical content.
- Kenya Climate Innovation Center (KCIC) for connecting the authors with companies in KCIC’s business accelerator program and beyond.

**Cover Photo Credit:** Madalin Olariu/iStock/Getty Images Plus/Getty Images

## **DISCLAIMER**

*The information in this Document is provided for general informational purposes only. The inclusion of any company, activity, or resource in this Document does not constitute an official endorsement, recommendation, sponsorship, or approval by Power Africa, USAID, the U.S. Securities and Exchange Commission, any state securities authority, or any other U.S. Government agency, its employees, contractors, or agents. Information about companies in this document was primarily self-reported by the companies. USAID did not verify the accuracy of information provided by the companies or information derived from public sources. USAID does not make any representations or warranties (expressed or implied) as to the accuracy or completeness of the data and information contained in this Document and expressly disclaims any and all legal responsibility and liability that may be based on the information provided herein or errors or omissions thereof. USAID reserves the right to modify this Document at any time and undertakes no obligation to notify readers of updates or corrections.*

# BACKGROUND

Power Africa is a U.S. Government-led partnership that brings together the collective resources of over 170 public and private sector partners to double access to electricity in sub-Saharan Africa. Power Africa's goal is to add more than 30,000 megawatts of new electricity generation capacity and connect 60 million new homes and businesses to power by 2030. Read more: [www.usaid.gov/powerafrica](http://www.usaid.gov/powerafrica).

Reliable supply of energy is one of many important requirements for significant growth and increased productivity in African agriculture. For farmers in most African countries, access to fuel or electricity for farm operations, crop processing, and food storage is limited and costly. Rapid growth in agricultural production can stimulate rural and overall economic development.

Power Africa Off-grid Project provides technical assistance to private sector companies, agriculture cooperatives, agribusinesses, and government stakeholders to increase the uptake of off-grid energy solutions, such as solar home systems (SHS), mini-grids, and productive use of energy (PUE) technologies. Under its cross-cutting work stream, the Project plays a vital role in the adoption of PUE technologies by supporting off-grid companies to:

- Expand their product portfolios to include PUE
- Access finance to facilitate company growth, enter new markets, and pilot PUE business models across agricultural value chains
- Leverage innovation as the sector matures

# INTRODUCTION

## What is Productive Use of Energy (PUE)?

For the purposes of this catalog, PUE refers to any electrical and thermal equipment and technology that serves as a direct input for the production of goods or provision of services for income-generating activities.

## Objectives

The main objective of this catalog is to increase awareness and uptake of the off-grid PUE appliances that are available in Niger. The catalog provides stakeholders (including manufacturers, suppliers, nongovernment and community organizations, and government policymakers) with insight into PUE products and innovations.


This catalog is part of a collection aiming to:

- Increase the knowledge base of off-grid PUE equipment
- Address the PUE needs of the East and West Africa regions
- Identify sectors for which greater adoption of PUE products can stimulate economic development

## Selected Countries

The collection of catalogs covers ten countries:

- **East Africa:** Ethiopia, Kenya, Rwanda, Tanzania, and Uganda
- **West Africa:** Cameroon, Côte d'Ivoire, Ghana, Niger, and Senegal



# INTRODUCTION

## Contents

The catalog includes technical and financial information for a range of PUE technologies with a focus on the economic activities of agriculture, fishing, livestock, and poultry.

The catalog presents the following information:

- The existing terms of sale for PUE products
- Pay-as-you-go (PAYGO) integration capabilities
- Manufacturer, distributor, and supplier channels

## Target Audience

A wide range of participants in the off-grid energy sector can leverage insights from the catalog to inform their decisions, including government policymakers, private-sector practitioners, stakeholders from nongovernment and community organizations, investors, financial institutions, and end users.





# CRITERIA FOR SELECTION OF PUE PRODUCTS

The catalog's scope is limited to off-grid PUE products for agriculture, fishing, livestock, and poultry and does not include other uses of energy, such as phone charging. Featured technologies include photovoltaic (PV) solar and those that combine electrical and thermal power, such as food dryers.

Applications and value chains include the following:

Category	Examples
Agriculture production	Water pumping solutions, solar spraying
Agriculture conservation	Fridges and freezers
Agriculture processing	Grain mills, threshing and husking machines, and food dryers
Livestock and poultry	Egg incubators, milk chillers, and fodder preparation (i.e. chaff cutters)
Fishing and aquaculture	Cold storage units (i.e. ice machines), fishing lights

# HOW TO READ THE CATALOG

The catalog has two sections:

## Section I: Company Information

Provides an overview of local companies supplying PUE products in the targeted countries and outlines general information about the companies, such as contact information and current product offerings.

Classifies companies into four categories:

1. **Manufacturer** – a company that builds, design, and packages products for a market
2. **Distributor** – a company that buys products or product lines from a manufacturer and sells them directly to end users or supplies them to other retailing companies
3. **Brand Representative** – an international company's in-country subsidiary or partner company that fulfills sales and other services for end users
4. **Reseller/Retailer** – a company (or entity) that receives products from a distributor and sells them directly to end users

Classifies distribution channels into ten categories:

1. Direct retail
2. Online retail
3. On order
4. Large distributors
5. Retail through farmer cooperatives/producer groups and savings and credit cooperatives (SACCOs)
6. Retail through kiosks and similar outlets
7. Retail through microfinance institutions (MFIs)
8. Retail through outgrower schemes
9. Retail through sales agents
10. Retail through women's groups

Classifies payment models into six categories:

1. PAYGO
2. Flexible installments (hire purchase agreement, leasing, etc.)
3. Cooperation with local banks or MFIs
4. Cash payment or cash and carry
5. Product only sold as part of a package
6. Fee for service



# HOW TO READ THE CATALOG

## Section 2: Product Information

Provides detailed technical information on PUE products and further categorizes products into six sections by type of solutions:

1. **Agro-Processing** – mills, hullers, threshers, crushers, paste makers, and oil presses
2. **Cooling** – cold rooms, freezers, ice-making machines, milk tanks, and refrigerators
3. **Food Dryers** – thermal and ventilation-based solutions
4. **Aquaculture, Livestock, and Poultry** – fishing lights and egg incubators
5. **Pumping** – surface pumps and submersible pumps
6. **Sprayers** – animal medical treatments, disinfectants, fungicides, herbicides, insecticides, and pesticides



# HOW TO READ THE DATASHEETS

The following reference table explains the product information and technical specifications for the product categories of pumps, fridges, mills, dryers, and ALPS (aquaculture, livestock, and poultry solutions) and country-specific data:

Datasheet Heading	Explanation	Unit of Measure	Product Category
<b>Product Information</b>			
Product Name	Product brand name and model	--	All
Manufacturer	The company that manufactures the product	--	All
Picture	Image of the product	--	All
Product Description	Characteristics of the product	--	All
Target Use	How the product is used and its target group	--	All
<b>Technical Specifications</b>			
Models	Specific model type, series, and number if applicable	--	Pumps, Mills
Product Type	Submersible or surface pump	--	All
Load	The power required to operate the solution	W	Pumps
Pump Type	Operational category of the pump, based on its mechanics: centrifugal, helical, and piston	--	Pumps



# HOW TO READ THE DATASHEETS

Datasheet Heading	Explanation	Unit of Measure	Product Category
Automation	Process by which an equipment operates an action or a process operated automatically by an electronically controlled system and often without human assistance	--	ALPS
Electrical Output	Electrical energy produced by the product	kW	Dryers
Thermal Output	Thermal energy produced by the product	kW	Dryers
Mechanical Output	Mechanical energy produced by the product	kW	Dryers
AC/DC Coupled	Type of electric current	AC or DC or both	All
Electrical Efficiency	Measurement of the ratio between the energy input and the electrical-energy output	%	Dryers
Thermal Efficiency	Measurement of the ratio between the energy input and the thermal-energy output	%	Dryers
Voltage Range	Operating voltage range of the product	V DC or V AC	Pumps, Fridges, Mills, ALPS
Throughput	Processing-capacity output of the product	kg/h	Mills



# HOW TO READ THE DATASHEETS

Datasheet Heading	Explanation	Unit of Measure	Product Category
Egg Capacity	Number of eggs the incubator can hold in one batch	eggs	ALPS
Power Rating	Highest approved power input of the product motor	W	Pumps, Fridges, Mills, ALPS
Required Solar Panel Size	Required PV-panel capacity required to power the product	W or Wp	Pumps
Storage Capacity	Volume of available storage	L	Fridges
Operating Temperature	Operating temperature of the product	°C (°F)	Fridges
Capacity of PV Modules Required	Required PV panel capacity that is required to power the product	Wp or W	Fridges, Mills, ALPS



# HOW TO READ THE DATASHEETS

Datasheet Heading	Explanation	Unit of Measure	Product Category
Holdover Time	The time taken by the product to raise the inside cabinet's temperature from its cut-off temperature to the maximum temperature limit of its recommended range. For example, for a fridge with an operating temperature of 4 °C (39.2 °F) and a maximum operating temperature of 8 °C (46.4 °F), the holdover time is the time taken to reach 8 °C (46.4 °F) from 4 °C (39.2 °F) in case of a power loss	h or min	Fridges
Power (Energy Consumption)	Daily energy consumption of the product	W or Wh/day	Fridges
Product Dimensions	External measurements of the product (recorded as length × width × height, unless otherwise noted)	length x width x height	Fridges, ALPS
Total Dynamic Head	Maximum height at which a pump can raise water, inclusive of friction losses	m	Pumps
Max Discharge Rate	Maximum rated volume of water pumped per hour	m <sup>3</sup> /h	Pumps
Controller Requirements	Requirement for an external pump controller	--	Pumps



# HOW TO READ THE DATASHEETS

Datasheet Heading	Explanation	Unit of Measure	Product Category
Lamp Display/Output	Amount of light produced	lumens	ALPS
Lighting Duration	Length of time that the product produces light	hours	ALPS
Battery Size	Type, size, and specifications of the battery	Ah	ALPS
PAYGO Integration Capabilities	Compatibility with PAYGO	--	All
Product Link	Product website or datasheet link	--	All
Distribution Channels	Channels listed under the following categories: <ul style="list-style-type: none"> <li>• Direct retail</li> <li>• Online retail</li> <li>• On order</li> <li>• Retail through kiosks and similar outlets</li> <li>• Large distributors</li> <li>• Retail through sales agents</li> <li>• Retail through women's groups</li> <li>• Retail through farmer cooperatives/producer groups and SACCOs</li> <li>• Retail through outgrower schemes</li> <li>• Retail through MFIs</li> </ul>	--	All




# HOW TO READ THE DATASHEETS

Datasheet Heading	Explanation	Unit of Measure	Product Category
Payment Models / Terms of Sales	Models and terms listed under the following categories: <ul style="list-style-type: none"><li>• PAYGO</li><li>• Flexible installments (hire purchase agreement, leasing, etc.)</li><li>• Cooperation with local banks or MFIs</li><li>• Cash payment or cash and carry</li><li>• Product only sold as part of a package</li><li>• Fee for service</li></ul>	--	All

**SECTION I**

COMPANY INFORMATION





# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<p><b>Benafsol/Benalya</b>  <a href="mailto:bendekken@benalya.com">bendekken@benalya.com</a></p>	<p><b>Pumps</b></p> <ul style="list-style-type: none"> <li>• Grundfos CR Flex Pump Series</li> <li>• Grundfos SQ Flex Pump Series</li> <li>• Grundfos SQ Flex Pump Series</li> <li>• Lorentz Pump PS-CS-F</li> <li>• Lorentz Pump PS2 Series</li> </ul> <p><b>Dryers</b></p> <ul style="list-style-type: none"> <li>• Greenhouse: Serre du Sahel (Sahelian greenhouse)</li> </ul>	<p>Distributor</p>	<p>Direct retail</p> <p>On order</p>	<p>Cash &amp; carry</p>



# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<b>CDARMA</b> ( <i>Centre de Développement de l'Artisanat Rural et du Machinisme Agricole</i> [Center for the Development of Rural Crafts and Agricultural Machinery]) <a href="mailto:cdarmadosso@yahoo.fr">cdarmadosso@yahoo.fr</a>	<b>Agro-processing</b> <ul style="list-style-type: none"><li>• Chaff Cutter</li></ul>	Manufacturer	Direct retail  Online retail	Cash & carry  Flexible installments



# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<p><b>Consultations Plus</b>  <a href="mailto:balla@cons-plus.com">balla@cons-plus.com</a></p>	<p><b>Pumps</b></p> <ul style="list-style-type: none"> <li>• Grundfos CR Flex Pump Series</li> <li>• Grundfos SQ Flex Pump Series</li> <li>• Grundfos SQ Flex Pump Series</li> <li>• Lorentz Pump PS-CS-F</li> <li>• Lorentz Pump PS2 Series</li> <li>• Lorentz Pump PS2K Series</li> </ul> <p><b>Fridges</b></p> <ul style="list-style-type: none"> <li>• Steca PF 166-H   PF 240-H</li> </ul> <p><b>Agro-processing</b></p> <ul style="list-style-type: none"> <li>• Novital Mill GOLIA 4v</li> <li>• Novital Mill A/5R/75</li> </ul>	<p>Distributor</p>	<p>Direct retail</p> <p>Online retail</p>	<p>Cash &amp; carry</p>



# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<b>Devarts SARL</b> +227 97 21 51 88 <a href="mailto:brahbassim@gmail.com">brahbassim@gmail.com</a>	<b>Livestock &amp; aquaculture</b> <ul style="list-style-type: none"> <li>JIMINA Egg Incubator</li> </ul>	Manufacturer	Direct retail	Cash & carry
<b>Elhyfros</b> BP: 393, Niamey +227 20 41 02 52 <a href="mailto:elhyfros@yahoo.fr">elhyfros@yahoo.fr</a>	<b>Pumps</b> <ul style="list-style-type: none"> <li>Caprari Submersible Pump Series</li> <li>Caprari Surface Pump Series</li> </ul>	Distributor	Direct retail  On Order	Cash & carry  Flexible installments
<b>Energie d'Afrique (EDA)</b> <a href="mailto:mamoudouminthe@yahoo.fr">mamoudouminthe@yahoo.fr</a>	<b>Pumps</b> <ul style="list-style-type: none"> <li>Grundfos CR Flex Pump Series</li> <li>Grundfos SQ Flex Pump Series</li> </ul>	Distributor	Direct retail	Cash & carry
<b>Enterprise Tanfousse</b> +227 96 72 53 61	<b>Livestock &amp; aquaculture</b> <ul style="list-style-type: none"> <li>Nanchang Egg Incubator</li> </ul>	Distributor	Direct retail	Cash & carry



# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<b>Foyer-Tech</b> +227 96 26 24 73 +227 90 07 60 62 <a href="mailto:Foyertech77@gmail.com">Foyertech77@gmail.com</a>	<b>Dryers</b> <ul style="list-style-type: none"> <li>Sahel Solar Dryer</li> </ul>	Manufacturer	Direct retail	Cash & carry
<b>GIMAFOR (Groupe d'Ingénierie, de Management, de Formation et de Recherche [Engineering, Management, Training, and Research Group])</b> <a href="mailto:equipe@gimafor.com">equipe@gimafor.com</a> +227 90 53 70 03	<b>Pumps</b> <ul style="list-style-type: none"> <li>Future Pump SF2</li> </ul> <b>Agro-processing</b> <ul style="list-style-type: none"> <li>Solar Milling Crusher Mill</li> <li>Solar Milling Stone Mill</li> <li>Paste Maker Mill</li> </ul>	Distributor	Direct retail	Cash & carry





# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<b>Groupe ETRAFOR</b> <b>Génie Electrique</b> Rd Point Balafon, Kalley 4 GM 20 BP: 2555 Niamey-Niger 96406254/90581712 <a href="mailto:ousseiniali60@yahoo.fr">ousseiniali60@yahoo.fr</a>	<b>Pumps</b> <ul style="list-style-type: none"> <li>• OKAY Solar Pump</li> </ul>	Distributor	Direct retail  On Order	Cash & carry
<b>High-Tech</b> BP: 13429 Niamey-Niger +22785767676 <a href="mailto:info@hitech-niger.com">info@hitech-niger.com</a>	<b>Pumps</b> <ul style="list-style-type: none"> <li>• Ennos Sunlight Pump</li> <li>• Future Pump SF2</li> <li>• Solarworx UG Pump</li> </ul> <b>Fridges</b> <ul style="list-style-type: none"> <li>• Koolboks Fridges</li> <li>• Koolboks freezers</li> </ul>	Distributor	Direct retail	Cash & carry  Flexible installments



# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<p><i>La Sahélienne de Génie Electrique (The Sahelian of Electrical Engineering [SGE])</i></p> <p>+227 96595245</p> <p><a href="mailto:Sahel_energie@yahoo.fr">Sahel_energie@yahoo.fr</a></p> <p><a href="mailto:energie_sahel@yahoo.fr">energie_sahel@yahoo.fr</a></p>	<p><b>Pumps</b></p> <ul style="list-style-type: none"> <li>• Future Pump SF2</li> </ul> <p><b>Agro-processing</b></p> <ul style="list-style-type: none"> <li>• PSS Solar Milling</li> </ul>	Distributor	Direct retail	Cash & carry
<p><b>Mayaki Trading</b></p> <p>+227 92 99 99 03</p> <p>+227 96 87 39 88</p> <p><a href="mailto:mayakitrading@gmail.com">mayakitrading@gmail.com</a></p>	<p><b>Pumps</b></p> <ul style="list-style-type: none"> <li>• Lorentz PS-CS-F9</li> <li>• Lorentz PS2 Series</li> <li>• Lorentz PSK2 Submersible Pumps</li> <li>• Lorentz PSK2 Surface Pumps</li> <li>• Solar Tech Pump Model GSPB/GSPM</li> </ul>	Distributor	<p>Direct retail</p> <p>Online retail</p>	<p>Cash &amp; carry</p> <p>Flexible installments</p>

# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<p><b>RESEDA</b> (<i>Réseau pour le Développement de l'Artisanat</i> [Network for the Development of Crafts])                      BP 12 719, Niamey, Niger                      Tel +227 20 37 10 01                      Fax +227 20 37 10 02  <a href="mailto:reseda.niger@yahoo.fr">reseda.niger@yahoo.fr</a></p>	<p><b>Dryers</b></p> <ul style="list-style-type: none"> <li>Icaro Solar Dryer</li> <li>Solar Shell Dryer</li> </ul>	Manufacturer	<p>Online retail</p> <p>On order</p>	Cash & carry
<p><b>Talbus</b>                      943 - Avenue du Progrès,                      Niamey Zone Industrielle                      BP 2824 Niamey-Niger.                      NIF:17 581/S                      +227 88 33 77 77                      +227 80 30 77 77  <a href="mailto:talbus.general@hotmail.com">talbus.general@hotmail.com</a></p>	<p><b>Pumps</b></p> <ul style="list-style-type: none"> <li>Lorentz PS-CS-F9</li> <li>Lorentz PS2 Series</li> <li>Lorentz PSK2 Submersible Pumps</li> <li>Lorentz PSK2 Surface Pumps</li> </ul>	Distributor	<p>Direct retail</p>	<p>Cash &amp; carry</p> <p>Flexible installments</p>

# COMPANY LIST

Companies	Distributed Technologies	Category	Distribution Channels	Payment Models
<b>Yandalux</b> +227 20 73 43 13 <a href="mailto:niger@yandalux.com">niger@yandalux.com</a> <a href="http://www.yandalux.com/">http://www.yandalux.com/</a>	<b>Pumps</b> <ul style="list-style-type: none"><li>• Grundfos CR Flex Pump Series</li><li>• Grundfos SQ Flex Pump Series</li></ul>	Distributor	Direct retail  Online retail	Cash & carry
<b>Zourkaleyni Seybou</b> <a href="mailto:zourkaleyni@gmail.com">zourkaleyni@gmail.com</a> +227 96 75 08 77	<b>Livestock &amp; aquaculture</b> <ul style="list-style-type: none"><li>• FANBU Egg Incubator</li></ul>	Distributor	Direct retail	Cash & carry



**SECTION 2**

PRODUCT INFORMATION



# QUALITY STANDARDS

Product	Quality Standards	VeraSol-tested / Certified
Pumping Solutions		
Caprari Submersible Pumps Series	Management and production process meet International Organization for Standardization (ISO) 9001 Multisite Quality Management System, ISO 14001 Environmental Management System and BS OHSAS 18001 Occupational Health and Safety Management System.	--
Caprari Surface Pumps Series		--
Ennos Sunlight Pump	--	VeraSol-tested (JSPBL0.3/HF2.4-5)
Futurepump SF2	ISO 9001:2015-certified factory	VeraSol-tested
Grundfos CR Flex Series	International Electrotechnical Commission (IEC) and Deutsches Institut für Normung (DIN)	--
Grundfos SQ Flex Series, centrifugal	IEC, DIN, ISO	--
Grundfos SQ Flex Series, helical	IEC, DIN, ISO	VeraSol-tested (SQFlex 2.5-2)
Lorentz PS2 Series	IEC, EN, ISO	VeraSol-tested (PS2-600 HR-04H, PS2-600 C-SJ8-5)
Lorentz PS-CS-F	IEC, EN, ISO	--



# QUALITY STANDARDS

Product	Quality Standards	<u>VeraSol-tested / Certified</u>
Pumping Solutions...		
Lorentz PSK2 Submersible Pumps	IEC, EN, ISO	--
Lorentz PSK2 Surface Pumps	IEC, EN, ISO	--
Solar Tech Pump Model GSPB/GSPM	EN 55014-1:2006, EN 61000-3-2:2004, EN61000-3-3:1995+A1:2001+A2:2005, EN55014-2+A1:2001	VeraSol-tested (SPM600HS, SPM400HS)
Cooling Solutions		
Steca PF 166-H   PF 240-H	IEC, ISO	VeraSol-tested (PF166-H)



# AGRO-PROCESSING SOLUTIONS

## Agro-Processing Solutions – List of Featured Products

1. [CDARMA Chaff Cutter](#)
2. [Novital Mill A/5R/75](#)
3. [Novital Mill GOLIA 4V](#)
4. [Paste Maker Mill](#)
5. [PSS Solar Milling](#)
6. [Solar Milling Crusher Mill](#)
7. [Solar Milling Stone Mill](#)



# AGRO-PROCESSING SOLUTIONS

## Agro-Processing Solutions – Introduction

Solar-powered mills for agro-processing are available in different types, including rice mills, cassava graters, paste makers, crushers, flour mills, and more. This section details appropriate off-grid milling technologies that are financially viable PUE solutions for project developers as well as communities, smallholder farmers, agro-processing enterprises, and other end users. This section also includes technical information to help practitioners operationalize milling technologies and notes the complexities of doing so.

In sub-Saharan Africa, most agriculture-based economies produce grains as their top staple-food crops—especially corn/maize. Current non-solar off-grid milling solutions, such as diesel-powered mills, are not viable in small communities, because they are too large and expensive to run. For this reason, off-grid solar milling solutions have the potential

to increase farming efficiency, increase farmers' revenues, and promote food security. PAYGO models of digital finance use embedded internet-connected hardware to give smallholder farmers and communities the ability to pay with greater ease and flexibility. Solar mills also give farmers the opportunity to generate income immediately after installation, have lower upkeep costs, and provide sound returns on investments.



# CDARMA CHAFF CUTTER

A chaff cutter.

**Target use:** Livestock farmer/ farmers

TERMS OF SALE  
Cash & carry  
Flexible installments

**Manufacturer:**

CDARMA

+227 20 65 03 27

[cdarmadosso@yahoo.fr](mailto:cdarmadosso@yahoo.fr)

**Distributor(s):**

CDARMA

**Distribution channels:**

Direct retail

Online retail

## SPECS | CDARMA Chaff Cutter

Product information	
Product type	Millet/sorghum stalk chaff cutter
Load	750 W
AC/DC coupled	AC
Voltage range	230 V AC
Power (energy consumption)	750 W
Throughput	400-500 kg/h
Capacity of PV modules required	1,000 W <sub>p</sub>
Battery size	600 Ah
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## NOVITAL MILL A/5R/75

Mill to grind cereals such as corn, millet, sorghum etc. quickly and in large quantities.

Target use: Women's cooperatives.

**Manufacturer:**

Novital SRL  
Via Europa, 7 - 21015 Lonate Pozzolo  
(Va) Italy  
[info@novital.it](mailto:info@novital.it)

**Distributor(s):**

Consultations Plus

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Novital Mill A/5R/75

<b>Product information</b>	
Product type	Hammer mills grinder
AC/DC coupled	DC/AC
Voltage range	220 V AC
Throughput	120-150 kg/h
Power (energy consumption)	2,200 W
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## NOVITAL MILL GOLIA 4V

Mill Golia 4V is a photovoltaic solution for husking cereal seeds (millet, sorghum, maize, etc.).

Target use: Women's cooperatives.

**Manufacturer:**

Novital SRL  
Via Europa, 7 - 21015 Lonate Pozzolo  
(Va) Italy  
[info@novital.it](mailto:info@novital.it)

**Distributor(s):**

Consultation Plus

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Novital Mill Golia 4V

<b>Product information</b>	
Product type	Hammer mill
AC/DC coupled	DC/AC
Voltage range	220 V AC
Throughput	130 kg/h
Power (energy consumption)	750 W
Capacity of pv modules required	1,000 Wp
PAYGO integration capabilities	No



## PASTE MAKER MILL

Solar paste maker for shea or peanuts.

Target use: Women's cooperatives.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Solar Milling  
Alemania, 58 Pol. Ind.  
08700 Igualada/Spain

**Distributor(s):**

Gimafor

**Distribution channels:**

Direct retail



## SPECS | Paste Maker Mill

<b>Product information</b>	
Product type	Paste maker mill
AC/DC coupled	DC/AC
Voltage range	230 V AC
Throughput	95 kg/h
Power (energy consumption)	1,500 W
Capacity of PV modules required	1,650 Wp
PAYGO integration capabilities	No



## PSS SOLAR MILLING

This solar milling system is a photovoltaic solution for husking cereal seeds.

**Target use:** Women's cooperatives.

TERMS OF SALE  
Cash & carry

**Manufacturer:**  
Project Support Supply (PSS)  
China

**Distributor(s):**  
SGE

**Distribution channels:**  
Direct retail

## SPECS | PSS Solar Milling

<b>Product information</b>	
Product type	Hammer mill
AC/DC coupled	DC
Voltage range	48V DC
Throughput	80–120 kg/h
Power (energy consumption)	1,200 W
Capacity of PV modules required	1,000–2,500 W <sub>p</sub>
PAYGO integration capabilities	No



# SOLAR MILLING CRUSHER MILL

Solar crusher mill and size reducer for nuts/shea nuts.

Target use: Women's cooperatives.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Solar Milling  
Alemania, 58 Pol. Ind.  
08700 Igualada/Spain

**Distributor(s):**

Gimafor

**Distribution channels:**

Direct retail

## SPECS | Solar Milling Crusher Mill

<b>Product information</b>	
Product type	Crusher (size reducer)
AC/DC coupled	DC/AC
Voltage range	230 V AC
Throughput	120 kg/h
Power (energy consumption)	1,500 W
Capacity of PV modules required	1,650 Wp
PAYGO integration capabilities	No



## SOLAR MILLING STONE MILL

This solar milling system is a photovoltaic solution for grinding cereals to obtain flour and other ground outputs, specially designed to operate in off-grid conditions.

**Target use:** Women's cooperatives.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Solar Milling  
Alemania, 58 Pol. Ind.  
08700 Igualada/Spain

**Distributor(s):**

Gimafor

**Distribution channels:**

Direct retail

## SPECS | Solar Milling Stone Mill

<b>Product information</b>	
Product type	Stone mill
AC/DC coupled	AC/DC
Voltage range	230 V AC or 150–300 V DC
Throughput	20–25 kg/h
Power (energy consumption)	1,500 W
Capacity of PV modules required	1,650 Wp
PAYGO integration capabilities	No

# COOLING SOLUTIONS

## Cooling Solutions – List of Featured Products

1. [Koolboks Freezers](#)
2. [Koolboks Refrigerators](#)
- ④ 3. [Steca PF 166-H | PF 240-H](#)

④ = VeraSol-tested/-certified



# COOLING SOLUTIONS

## Cooling Solutions – Introduction

The cooling solutions vary from solar fridges and freezers to solar cold rooms, solar ice-cube makers, and solar milk tanks.

## Solar Fridges and Freezers

Solar fridges and freezers provide various solutions and applications, including the preservation of juices, meat, fish, and milk, as well as cooling and ice production. The medical sector can use them for drug and vaccine storage. In this catalog, all solar fridges and freezers are solar products, powered by solar panels, with a voltage system of 12 and 24 V DC. Most solar fridges use batteries to ensure continuous energy service; however, some have very effective insulation capabilities, which allow them to function without battery power. If powered by PV panels, the equipment may not draw enough solar energy to maintain low refrigeration temperatures in severe cloud cover or at night; therefore, the

equipment must preserve low temperatures with high-efficiency insulation, draw reserve power, or couple with another source of power (e.g., a battery).

The capacity of the fridges and freezers is expressed in volume capacity (liters), which manufacturers usually indicate. Freezers operate only at negative temperatures in Celsius (up to  $-18\text{ }^{\circ}\text{C}$  [ $-0.4\text{ }^{\circ}\text{F}$ ]), while some fridges or refrigerators can operate dually.

In most cases, solar fridges and freezers are imported from Europe and the United States of America.

## Solar Cold Rooms

Solar cold rooms have a variety of applications. Their cooling temperatures can be adjusted and monitored.



# COOLING SOLUTIONS

The structure of their cooling chambers enables the preservation of fruits and vegetables (usually at positive temperatures) and the preservation of meat and fish (usually at negative temperatures) over long periods. In general, most cold rooms are large industrial units, but smaller sizes are also manufactured locally. In this catalog, all cold rooms are powered by solar panels with varying voltage systems (AC and DC).

## Solar Ice-cube Makers

The solar ice-cube makers are machines that produce ice in large quantities. These machines are useful for people who need ice in large quantities daily, such as fishers or fish sellers who need to preserve and transport fish. Ice-cube makers are

powered by solar panels but run with AC voltage.

## Solar Milk Tanks

Solar milk tanks, which are generally in the shape of a tank or a cistern, allow the refrigeration of raw milk from animal milking to slow down the degradation of milk quality. Such tanks usually operate at a positive temperature of approximately 4 °C (39.2 °F). The capacity of these tanks (measured in liters) varies by model.





# KOOLBOKS FREEZER

A freezer for the preservation of juices, meat, fish, and milk; production of ice; and cooling and storage of drugs and vaccines.



**Manufacturer:**

Koolboks  
93110 Rosny-Sous-Bois, France

**Distributor(s):**

High-Tech

**Distribution channels:**

Direct retail

+33 6 32 30 00 11

TERMS OF SALE  
Cash & carry  
Flexible installments

## SPECS | Koolboks Freezer

Product models	110	210	308	350
Product type	Freezer			
AC/DC coupled	DC	DC	DC	DC
Voltage range	12/24V DC	12/24V DC	12/24V DC	12/24V DC
Storage capacity	85 L	119 L	210 L	310 L
Operating temperature	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)
Power (energy consumption)	560 Wh	560 Wh	560 Wh	560 Wh
Capacity of PV modules required	180 W <sub>p</sub>	180 W <sub>p</sub>	180 W <sub>p</sub>	180 W <sub>p</sub>
PAYGO integration capabilities	No			



TERMS OF SALE  
Cash & carry  
Flexible installments

## KOOLBOKS REFRIGERATOR

A freezer for the preservation of juices, meat, fish, and milk; production of ice; and cooling and storage of drugs and vaccines.

**Manufacturer:**

Koolboks  
93110 Rosny-Sous-Bois, France

+33 6 32 30 00 11

**Distributor(s):**

High-Tech

**Distribution channels:**

Direct retail

## SPECS | Koolboks Refrigerator

<b>Product models</b>	<b>85</b>	<b>119</b>	<b>210</b>	<b>310</b>
Product type	Refrigerator			
AC/DC coupled	DC	DC	DC	DC
Voltage range	12/24V DC	12/24V DC	12/24V DC	12/24V DC
Storage capacity	85 L	119 L	210 L	310 L
Operating temperature	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)	Freezing: -18 °C (-0.4 °F)
Power (energy consumption)	123 Wh/day	123 Wh/day	123 Wh/day	123 Wh/day
PAYGO integration capabilities	Yes			



TERMS OF SALE  
Cash & carry

## STECA PF 166-H | PF 240-H

Steca PF Solar Refrigerators are highly efficient DC energy-saving refrigerators, specially designed for off-grid solar-powered applications, including medical clinics, camps, and residential homes. They can be used either as refrigerators or freezers due to their fully programmable temperature controls.

**Target use:** Preservation of juices, meat, fish, and milk. Production of ice. Cooling and storage of drugs and vaccines.

**Manufacturer:**

Steca  
Katek Memmingen GMBH  
Mammostraße 1  
87700 Memmingen  
Germany

**Distributor(s):**

Consultations Plus

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Steca PF 166-H | PF 240-H

<b>Product models</b>	<b>PF 166-H</b>	<b>PF 240-H</b>
Product type	Refrigerator/Freezer	Refrigerator/Freezer
AC/DC coupled	DC	DC
Voltage range	12/24V DC automatic battery voltage detection	12/24V DC automatic battery voltage detection
Storage capacity	166 L	240 L
Power (energy consumption)	70 W	100 W
Operating temperature	Refrigerator: +2 °C to +12 °C Freezer: -20 °C to -10 °C	Refrigerator: +2 °C to +12 °C Freezer: -20 °C to -10 °C
PAYGO integration capabilities	No	No



# FOOD DRYERS

## Food Dryers – List of Featured Products

1. [Albert Wright Solar Dryer](#)
2. [Icaro Solar Dryer](#)
3. [Sahel Solar Dryer Foyer-Tech](#)
4. [Serre du Sahel \(Sahel Greenhouse\)](#)
5. [Solar Dryer Anersol](#)
6. [Solar Shell Dryer](#)

# FOOD DRYERS

## Food Dryers – Introduction

Off-grid food dryers are generally used for the preservation and transformation of food (e.g., fruits and vegetables, meat, fish, and medicinal herbs) and can be operated on site immediately after a harvest. For the majority of the ten targeted countries in this catalog, off-grid communities face a particular challenge: Large quantities of agricultural products can spoil due to inadequate infrastructure and insufficient processing capacities, even during the traditional process of open-air drying. For such communities, solar food dryers have the potential to prevent food losses, generate income, and promote food security.

Food dryers are mostly produced locally and come in different sizes and shapes, often tailored to customer needs. Some are solely thermal, while others have ventilation systems powered by small PV panels.

In this catalog, solar food dryers fall into several categories:

Category	Examples
Direct drying	Solar box dryers
Indirect drying	Solar cabinet dryers
Mixed-mode drying	Solar tunnel dryers
Hybrid drying	Hybrid solar/biomass cabinet dryers
Natural air convection	Small-scale solar box dryers
Forced convection ( <i>with air circulation fans</i> )	Solar tunnel dryers

## Special Considerations

Some models are simple and inexpensive. More sophisticated types have temperature and humidity monitoring. For protection and hygiene, air filters and insect screens are useful. Manufacturers usually specify product-drying times in days or hours, which vary from food to food.



TERMS OF SALE  
Cash & carry  
Flexible installments

## ALBERT WRIGHT SOLAR DRYER

The roof consists of flat thermal collectors that produce hot air for the ventilation and drying of products. Forced convection of hot air is ensured by four fans powered by solar modules. The humidity of the dried product is less than 7 percent within two days. It has a drying area of 110 m<sup>2</sup> and a drying time of two days. It has 216 drying racks. It measures 5 m × 4 m.

**Target use:** Spirulina producers; producers of agricultural products, fish, kilichi, fruits, and vegetables that may be dried for conservation.

**Manufacturer:**

Albert Wright  
Michel Albert Wright  
Niamey, Niger  
+227 960 881 54  
[alwrightm@yahoo.fr](mailto:alwrightm@yahoo.fr)

**Distributor(s):**

Albert Wright

**Distribution channels:**

Direct retail

# SPECS | Albert Wright Solar Dryer

<b>Product information</b>	
Product type	Solar dryer
AC/DC coupled	DC/AC
Voltage range	24V DC / 230V AC
Storage capacity	1,016 L
Capacity of PV modules required	960 W <sub>p</sub>
Battery size	200 Ah
Operating temperature	60 °C to 70 C° (140 °F to 158 °F)
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## ICARO SOLAR DRYER

Icaro solar dryer is a parallel-piped shape with a racks-drying chamber. A diffuser is placed at the base of the drying chamber. It is provided with a solar collector matching the shape of the dryer. Aluminum sheet mirrors increase the heating of the collectors. Forced ventilation of the hot air produced circulating in the drying chamber is provided by fans powered by photovoltaic solar panels. The dryer is used for processing and conservation of agro-pastoral products. Its capacity is 50–70 kg, its drying area is 6.8 m<sup>2</sup>, and its drying time is 1–3 days (depending on the product).

**Target use:** Cooperatives, women's groups, promoters of micro-businesses, and kilichi (meat jerky) producers.

**Manufacturer:**

RESEDA (*Réseau Pour Le Développement De L'artisanat* [Network For The Development Of Handicrafts])  
Bp 12 719, Niamey, Niger  
+227 20 37 10 01  
Fax +227 20 37 10 02  
[reseda.niger@yahoo.fr](mailto:reseda.niger@yahoo.fr)

**Distributor(s):**

RESEDA

**Distribution channels:**

Online retail  
On Order

## SPECS | Icaro Solar Dryer

<b>Product information</b>	
Product type	Solar dryer for agro-pastoral products
AC/DC coupled	DC/AC
Voltage range	12V DC
Capacity of PV modules required	50 W
Product dimensions	1 × 1.82 × 0.47 m
Battery size	200 Ah
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## SAHEL SOLAR DRYER FOYER-TECH

Solar dryer for fruits, vegetables, meat, cheese, and moringa leaves. The product comes equipped with a ventilator. It has drying area of 12 m<sup>2</sup> and a drying time of 24–48 hours.

**Target use:** Producer of agriculture product, vegetable, fruit products.

**Manufacturer:**

Foyer-Tech  
Niamey-Niger  
+227 96 26 24 73  
+227 90 07 60 62

**Distributor(s):**

Foyer-Tech

**Distribution channels:**

Direct retail

## SPECS | Sahel Solar Dryer Foyer-Tech

<b>Product information</b>	
Product type	Solar dryer
AC/DC coupled	DC
Voltage range	12V DC
Storage capacity	140 L
Capacity of PV modules required	60–100 W <sub>p</sub>
Battery size	200 Ah
Operating temperature	Above ambient temperature
PAYGO integration capabilities	No





TERMS OF SALE  
Cash/on order

## SERRE DU SAHEL (SAHEL GREENHOUSE)

Tunnel-type greenhouse, specially integrated for Sahelian farmers and designed for intensive agricultural production. Cooling is done by high-pressure controlled misting, which emits fine water droplets that vaporize upon contact with hot air and force it to cool.

**Manufacturer:**

Groupe Benalya  
Quartier Recasement, 2è Forage, 7  
+227 92 1963 00/88 0322 22  
Niamey, Niger

[commercial@benalya.com](mailto:commercial@benalya.com)

**Distributor(s):**

Benalya

**Distribution channels:**

Direct retail  
On Order

## SPECS | Serre du Sahel (Sahel Greenhouse)

<b>Product information</b>	
Product type	Serre du Sahel (Sahel Greenhouse) model sersah
AC/DC coupled	AC
Voltage range	220 V AC
Storage capacity	2,500 –10,000–20,000– 50,000 L
Load	200–6,000–800–1,200 W
Battery size	200 Ah
Operating temperature	30 °C to 35 °C (86 °F to 95 °F)
PAYGO integration capabilities	No



## SOLAR DRYER ANERSOL

It is designed to lower the water content of products by up to 65 percent at the end of the first day of drying to prevent the development of mold and bacteria during the first night. It can dry 15 kg of onions. It has a drying area of 6.5 m<sup>2</sup> and a drying time of 24 hours

**Target use:** Onion, kilichi (meat jerky), and tomato producers.

TERMS OF SALE  
Cash & carry

**Manufacturer:**  
ANERSOL  
[Contact@Anersol.org](mailto:Contact@Anersol.org)

**Distributor(s):**  
ANERSOL

**Distribution channels:**  
Direct retail  
Online retail

## SPECS | Solar Dryer Anersol

<b>Product information</b>	
Product type	Solar dryer
Capacity of PV modules required	No
Operating temperature	Above ambient temperature
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## SOLAR SHELL DRYER

This solar shell dryer is made of two sheets molded into the shape of a gourd on top of each other, and a rack covered with mosquito net on which the products are dried and placed inside. The bottom half of the sphere is perforated around the entire circumference to facilitate air circulation. The upper half of the sphere is perforated in the middle to allow air to escape. A sieve is placed over the exit hole to prevent the entry of insects.

**Target use:** Vegetable cooperatives, women's groups, and households.

**Manufacturer:**

RESEDA (*Réseau Pour Le Développement De L'artisanat* [Network for the Development of Handicrafts])  
BP 12 719, Niamey, Niger  
Tel +227 20 37 10 01  
Fax +227 20 37 10 02  
[reseda.niger@yahoo.fr](mailto:reseda.niger@yahoo.fr)

**Distributor(s):**

RESEDA

**Distribution channels:**

Online retail  
On Order

## SPECS | Solar Shell Dryer

<b>Product information</b>	
Product type	Solar dryer
PAYGO integration capabilities	No

# AQUACULTURE, LIVESTOCK, AND POULTRY SOLUTIONS

## Aquaculture, Livestock, and Poultry Solutions – List of Featured Products

1. [Egg Incubator HHD](#)
2. [Fanbu Egg Incubator](#)
3. [Jimina Incubator](#)

 = VeraSol-tested/-certified

# AQUACULTURE, LIVESTOCK, AND POULTRY SOLUTIONS

This section consists of solar products for fishing lights, livestock, and poultry. Solar-powered egg incubators vary by size and capacity, depending on the needs of smallholder farmers to provide chick-hatching solutions to farmers, especially in rural areas without electricity. Incubators ensure that eggs hatch in bulk, which is an efficiency that many farmers prefer to the natural hatching process. Because incubators boost poultry production, they often result in greater income generation for communities and empower women and youth in rural communities. For example, through new poultry-raising opportunities facilitated by the NGO Tanager in Burkina Faso, local women improved their decision-making skills, gained market inclusion, and increased their societal status (Agrilinks 2019).

## Special Considerations

In selecting an incubator, it is useful to consider a product's automation capabilities. For example, many incubators automate egg turning, temperature and humidity controls, and more.





## EGG INCUBATOR HHD

An egg incubator for hen, goose, guinea fowl, quail, ostrich, and turkey eggs.

**Target use:** Individuals, small-, medium-, and large-scale poultry farmers.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Nanchang Huatuo Industrial Co,  
Ltd, E36-E38, Floor 4, South Block,  
Nanchang, Jiangxi, China  
+227 96 72 53 61

**Distributor(s):**

Enterprise Tanfousse (Yahouza Abdou)

**Distribution channels:**

Direct retail

## SPECS | Egg Incubator HHD

<b>Product information</b>	
Product type	Egg incubator
AC/DC coupled	DC or AC
Voltage range	12V DC / 230V AC
Egg capacity	48 eggs
Power rating	80 W
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

# FANBU EGG INCUBATOR 1500

Solar-egg incubator locally made with recovery materials.

**Target use:** Small- and medium-scale poultry farmers, individuals.

**Manufacturer:**

Zourkaleyni Seybou

[Zourkaleyni@Gmail.com](mailto:Zourkaleyni@Gmail.com)

+227 96 75 08 77

**Distributor(s):**

Zourkaleini Seybou

**Distribution channels:**

Direct retail

## SPECS | Fanbu Egg Incubator 1500

Product information	
Product type	Egg incubator
AC/DC coupled	DC/AC
Voltage range	12–24V DC/220V AC
Egg capacity	1,500 eggs
Power (energy consumption)	250 W
Battery size	62 Ah
PAYGO integration capabilities	No



# JIMINA INCUBATOR

This automatic egg incubator allows for the artificial development of eggs to obtain a larger quantity of chicks. The device is equipped with a button to choose the type of egg (hen, guinea fowl, duck, etc.).

**Target use:** Medium- and large-scale poultry farmers.



**Manufacturer:**

Devarts SARL

Niamey-Niger

+227 97 21 51 88

[brahbassim@gmail.com](mailto:brahbassim@gmail.com)

**Distributor(s):**

Devarts SARL

**Distribution channels:**

Direct retail

TERMS OF SALE  
Cash & carry

## SPECS | Jimina Incubator

<b>Product models</b>	<b>264 EGGS</b>	<b>528 EGGS</b>	<b>1,056 EGGS</b>
Product type	Egg incubator		
Egg capacity	DC/AC	DC/AC	DC/AC
Voltage range	12V DC/230V AC	12V DC/230V AC	12V DC/230V AC
Power (energy consumption)	150 W	350 W	528 W
PAYGO integration capabilities	No		

# PUMPING SOLUTIONS

## Pumping Solutions – List of Featured Products

1. [Caprari Submersible Pumps Series](#)
2. [Caprari Surface Pumps Series](#)
- ④ 3. [Ennos Sunlight Pump](#)
- ④ 4. [Futurepump SF2](#)
5. [Grundfos CR Flex Series](#)
6. [Grundfos SQ Flex Series Centrifugal](#)
- ④ 7. [Grundfos SQ Flex Series Helical](#)
8. [Lorentz PS-CS-F](#)
- ④ 9. [Lorentz PS2 Series](#)
10. [Lorentz PSK2 Submersible Pumps](#)
11. [Lorentz PSK2 Surface Pumps](#)
12. [Okay Solar Pump](#)
- ④ 13. [Solar Tech Pump Model GSPB/GSPM](#)
14. [Solar WorX Submersible Diaphragm Pump](#)

④ = VeraSol-tested/-certified

# PUMPING SOLUTIONS

While solar water pumps vary in size, this catalog focuses on solar pumps with a power rating between 150 watts (W) to 10 kilowatts (kW) (13 horsepower [HP]). Solar pumps are one part of the pumping system that involves three key components: the pumping mechanism itself, the pump controller, and the solar energy-generating technology (i.e., solar panels and inverters, when needed).

Pumps are classified either as surface pumps or submersible pumps depending on the depth of their submersion in a water source. **Surface pumps** are designed to pump water from surface sources, such as rivers, ponds, and shallow wells. They are placed above the surface of the water and should not be submerged. They are designed to draw water to a maximum depth of eight meters, beyond which submersible pumps are used. **Submersible pumps** are fully submerged in water and include a hermetically sealed motor which is close-coupled to the body of the pump.

**Direct current (DC) pumps** draw power directly from solar panels without inverting.

**Alternating current (AC) pumps** require an inverter to transform the DC power from the panels into AC power. Both types of solar pumps require an electronic-pump controller. One of the key features of the controller, the Linear Current Booster (LCB), boosts the current from the solar array by lowering the voltage, which translates the current and voltage available from the PV panels into a combination that better serves the pump's power requirements. The LCB enables pumping to operate even in the low-light conditions of early mornings, late evenings, and cloudy days. A pump's control box also protects it from current and voltage spikes and enables its sensors, such as the float switch, to activate and deactivate the pump. Some controllers also have remote monitoring capabilities.





# PUMPING SOLUTIONS

DC pumps can operate without a controller while connected to a battery system. External power-storage systems, such as batteries, allow pumping to occur at night and in low-light conditions. Such storage systems allow pressure boosting to provide a continuous water supply at any time for optimal output. Most solar water-pumping systems, however, do not have energy storage and, therefore, can only operate within daylight hours.

## Pump Sizing

The process of selecting the best pump system for a specific purpose involves several steps, the first of which is sizing. During the sizing process, a user must evaluate several parameters, such as flow rate and total dynamic head. Sizing is a technical process that requires the analysis of qualified personnel and technicians to get an accurate fit.

Various online resources are available to assist in determining the correct pump for a particular application, including pump-sizing resources on the websites of many manufacturers. Some manufacturers also sell complete plug-and-play solar systems, as featured in this catalog, which come equipped with solar panels, pump controllers, and solar pumps. In most cases, because companies sell pumps as singular units, users must complete the process of sizing.

## Special Considerations

Because it is essential to seek the advice of qualified technical experts to achieve correct sizing, this catalog does not delve into the technical details of pump sizing.



# PUMPING SOLUTIONS

However, in general, the sizing process involves the following steps:

	Objective	Considerations
Step 1	Determine if a surface or submersible pump is suitable for a particular application	What is the source of water, river, water pan, shallow well, borehole.
Step 2	Determine the daily water requirement	How many liters is the pump required to move during the day within prime daylight hours?
Step 3	Determine if the water source can produce enough water to supply the pump system	For example, the required water amount may be 100 liters per hour (L/h); however, the water source may only supply 50 liters per hour. For boreholes, wells, or streams, if flowrates are unknown, end users can conduct test-pumping
Step 4	Determine the effective dynamic head	How high does the pump need to move the water? Measurements must account for the margin of friction loss
Step 5	Determine the correct pump make and model by referencing the pump flow chart, as provided by the manufacturer	--
Step 6	Estimate the balance of the system	This includes the wiring, piping, and necessary fittings



# PUMPING SOLUTIONS

## Pump Controllers

The primary function of the controller is to boost the current of solar modules in low-light conditions while holding the voltage of the solar modules at the maximum power point (i.e., the point of highest power output). This allows a pump to start earlier in the morning and stay running late into the evening.

A variety of controllers meet the specific needs of individual pumps, allowing them to maximize their output. DC pump controllers, also known as converters, maximize both the DC current and voltage. AC pump controllers invert the DC current to AC for use by the AC motors. It is also possible to use a solar-pump inverter to convert a grid-powered AC pump to use solar panels without changing the AC pump.

## Related Resources

For calculation sheets, checklists and guidelines, see the [Toolbox on Solar Powered Irrigation Systems](#) by the Water and Energy for Food ([VVE4F](#)) program.





# CAPRARI SUBMERSIBLE PUMPS SERIES

Caprari submersible pumps series.

Target use: Farmers, pools.

TERMS OF SALE  
Cash & carry  
Flexible installments

**Manufacturer:**  
Caprari  
41123 Modena - Italy

**Distributor(s):**  
Elhyfros

**Distribution channels:**  
Direct retail  
On order

# SPECS | Caprari Submersible Pumps Series

Product models	DESERT E4X-E6X	ES	E20S-E22S	MC4	MAC6
Product type	Submersible pump				
Pump type	Centrifugal	Centrifugal	Centrifugal	Centrifugal	Centrifugal
Load	370 W	370,000 W	240,000 W	7,500 W	45,000 W
AC/DC coupled	AC	AC	AC	AC	AC
Voltage range	230 V AC	400 V AC	400 V AC	230/400 V AC	400 V AC
Total dynamic head	30 m	600 m	130 m	150 m	460 m
Max discharge rate	5 m <sup>3</sup> /h	900 m <sup>3</sup> /h	1,260 m <sup>3</sup> /h	–	–
PAYGO integration capabilities	No				



# CAPRARI SURFACE PUMPS SERIES

Surface pumps.

**Manufacturer:**  
Caprari  
41123 Modena - Italy

**Distributor(s):**  
Elhyfros

**Distribution channels:**  
Direct retail  
On order

TERMS OF SALE  
Cash & carry  
Flexible installments

# SPECS | Caprari Surface Pumps Series

Product models	MEC D	MEC A	NC	CVX	MD
Product type	Surface mounted pump				
Pump type	Centrifugal	Centrifugal	Centrifugal	Centrifugal	Centrifugal
Load	12,000 W	132,000 W	355,000 W	30,000 W	18,500 W
AC/DC coupled	AC	AC	AC	AC	AC
Voltage range	230 V AC	400 V AC	400 V AC	230/400 V AC	230 V AC
Total dynamic head	17 m	140 m	110 m	260 m	85 m
Max discharge rate	50.4 m <sup>3</sup> /h	468 m <sup>3</sup> /h	1512 m <sup>3</sup> /h	43 m <sup>3</sup> /h	216 m <sup>3</sup> /h
PAYGO integration capabilities	No				



TERMS OF SALE  
Cash & carry  
Flexible installments

## ENNOS SUNLIGHT

The pump is connected directly to the solar photovoltaic field via a controller. The flow varies depending on the speed of rotation and sunshine.

Target use: Small- and medium-scale farmer or community development farmer

**Manufacturer:**

Ennos Ag  
Aarbergstrasse 5  
Ch-2560 Nidau  
Switzerland

**Distributor(s):**

High-Tech

**Distribution channels:**

Direct retail



# SPECS | Ennos Sunlight

<b>Product information</b>	
Product type	Surface mounted pump
Pump type	Centrifugal
Load	375 W
Required solar panel size	100–500 W <sub>p</sub>
AC/DC coupled	DC
Voltage range	17–65 V DC
Total dynamic head	40 m
Max discharge rate	2.7 m <sup>3</sup> /h
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry  
Flexible installments

## FUTUREPUMP SF2

A portable reciprocating piston water pump suitable for smallholder irrigation farming.

Target use: Smallholder farmers.

**Manufacturer:**

Futurepump Limited  
[support@futurepump.com](mailto:support@futurepump.com)

**Distributor(s):**

High-Tech  
Gimafor  
SGE

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Futurepump SF2

Product information	
Product type	Surface mounted pump
Pump type	Piston
Power rating	80–120 W
Required solar panel size	120 W
AC/DC coupled	DC
Voltage range	60V DC
Total dynamic head	15 m
Max discharge rate	3.6 m <sup>3</sup> /h
PAYGO integration capabilities	No



# GRUNDFOS CR FLEX SERIES

Grundfos CR Flex is a high-technology multi-stage centrifugal in-line non-self-priming surface pump, specifically designed for water transfer, irrigation, and pressure boosting in solar-powered applications. It is fitted with the advanced MG Flex permanent magnet variable frequency-driven motor.

**Target use:** Small-scale irrigation, livestock, fish farming, and water supply.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Grundfos  
Poul Due Jensens Vej 7  
Dk-8850 Bjerringbro,  
Denmark

**Distributor(s):**


Benafsol  
Consultations Plus  
Energie d’afrique  
Yandalux

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Grundfos CR Flex Series

Product information	
Product type	Surface pump
Pump type	Centrifugal
Load	1,730 W
AC/DC coupled	DC
Voltage range	30–300 V DC
Total dynamic head	150 m
Max discharge rate	13 m <sup>3</sup> /h
Controller requirements	Required
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## GRUNDFOS SQ FLEX SERIES CENTRIFUGAL

The SQFlex system is a reliable water-supply system, based on renewable energy sources, such as solar and wind energy. Thanks to its flexible energy supply and performance, the SQFlex system can be combined and adapted to meet any need at an installation site. The SQFlex system has a wide voltage range, built-in maximum power-point tracking (MPPT), as well as dry-running, voltage, and overload protection. The complete SQFlex pump range consists of 11 different pump sizes: five helical rotor pumps for medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

**Target use:** Medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

**Manufacturer:**

Grundfos  
Poul Due Jensens Vej 7  
Dk-8850 Bjerringbro,  
Denmark

**Distributor(s):**

Benafsol  
Consultations Plus  
Energie d’afrique  
Yandalux

**Distribution channels:**

Direct retail  
Online retail

# SPECS | Grundfos SQ Flex Series Centrifugal

Product information	
Product type	Submersible pump
Pump type	Centrifugal
Power rating	1,400 W
AC/DC coupled	AC and DC
Voltage range	30–300 V DC and 90–240 V AC
Total dynamic head	200 m
Max discharge rate	1.79 m <sup>3</sup> /h
Controller requirements	External controller
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry

## GRUNDFOS SQ FLEX SERIES HELICAL

The SQFlex system is a reliable water supply system based on renewable energy sources, such as solar and wind energy. Thanks to its flexible energy supply and performance, the SQFlex system can be combined and adapted to meet any need on the installation site. The SQFlex system has a wide voltage range, built-in maximum power-point tracking (MPPT), as well as dry-running, voltage, and overload protection. The complete SQFlex pump range consists of 11 different pump sizes: five helical rotor pumps for medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

**Target use:** Medium to high heads and low to medium flows.

**Manufacturer:**

Grundfos  
Poul Due Jensens Vej 7  
Dk-8850 Bjerringbro,  
Denmark

**Distributor(s):**

Benafsol  
Consultations Plus  
Energie D'afrique  
Yandalux

**Distribution channels:**

Direct retail  
Online retail



## SPECS | Grundfos SQ Flex Series Helical

Product information	
Product type	Submersible pump
Pump type	Helical
Power rating	1,400 W
Required solar panel size	1,000–4,000 W
AC/DC coupled	AC and DC Coupled
Voltage range	30–300 V DC and 90–240 V AC
Total dynamic head	120 m
Max discharge rate	Max 2.8 m <sup>3</sup> /h
Controller requirements	External Controller
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry  
Flexible installments

## LORENTZ PS-CS-F

The Lorentz PS CS-F DC Surface Solar Pumps are high-specification solar-powered in-line centrifugal DC pumps, specifically designed for high-flow booster applications, including irrigation, water boosting, and industrial processes. They are also ideal diesel pump replacements.

**Manufacturer:**

Lorentz  
Bernt Lorentz Gmbh & Co. Kg  
Siebenstuecken 24  
24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

**Distributor(s):**

Benafsol  
Consultations Plus  
Talbus Engineering  
Mayaki Trading  
Yandalux

**Distribution channels:**

Direct retail  
Online retail  
On order

## SPECS | Lorentz PS-CS-F

<b>Product information</b>	
Product type	Surface mounted pump
Pump type	Helical
Load	700 / 1,700 / 4,000 W
AC/DC coupled	DC
Voltage range	150/200/375 V DC
Total dynamic head	Max 90 m
Discharge volume	4 m <sup>3</sup> /h
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry  
Flexible installments

## LORENTZ PS2-SERIES

Solar submersible pump system for 4-inch wells

**Target use:** Farmers, water utility companies, manufacturing companies, NGOs, international organizations

**Manufacturer:**

Lorentz  
Bernt Lorentz Gmbh & Co. Kg  
Siebenstuecken 24  
24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

**Distributor(s):**

Benafsol  
Consultations Plus  
Talbus Engineering  
Mayaki Trading

**Distribution channels:**

Direct retail  
Online retail  
On order

## SPECS | Lorentz PS2-Series

Product models	PS2-150 HR-07S	PS2-150 C-SJ5-8	PS2-200 HR-07	PS2-600 C-SJ8-5	PS2-4000 C-SJ8-15	PS2-4000 C-SJ8-15
Product type	Submersible pump					
Pump type	Helical	Helical	Helical	Helical	Helical	Helical
Load	300 W	300 W	300 W	700 W	4,000 W	1,00 W
Required solar panel size	250 W <sub>p</sub>	250 W <sub>p</sub>	250 W <sub>p</sub>	-	-	660 W <sub>p</sub>
AC/DC coupled	DC	DC/AC	DC	DC	DC	DC
Voltage range	50V DC	17–50V DC and 220–240V AC	34–100V DC	238–375 V DC	102–200V DC	102–200V DC
Total dynamic head	60 m	20 m	40 m	15 m	80 m	70 m
Max discharge rate	1.4 m <sup>3</sup> /h	4.6 m <sup>3</sup> /h	1.3 m <sup>3</sup> /h	15 m <sup>3</sup> /h	13 m <sup>3</sup> /h	7.6 m <sup>3</sup> /h
Controller requirements	Controller required					
PAYGO integration capabilities	No					



TERMS OF SALE  
Cash & carry  
Flexible installments

## LORENTZ PSK2-SUBMERSIBLE SERIES

Solar submersible pump system for 6-inch wells.

**Target use:** Farmers, water utility companies, manufacturing companies, NGOs, international organizations.

**Manufacturer:**

Lorentz  
Bernt Lorentz Gmbh & Co. Kg  
Siebenstuecken 24  
24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

**Distributor(s):**

Consultations Plus  
Talbus Engineering  
Mayaki Trading

**Distribution channels:**

Direct retail  
Online retail  
On order

# SPECS | Lorentz PSK2-Submersible Series

Product models	PSK2-7 C-SJ42-3	PSK2-9-C-SJ8-44	PSK2-9-C-SJ17-11
Product type	Submersible pump		
Pump type	Centrifugal	Centrifugal	Centrifugal
Load	8,000 W	10,000 W	10,000 W
AC/DC coupled	DC	DC	DC
Voltage range	575–850 V DC	575–850 V DC	575–850 V DC
Total dynamic head	30 m	180 m	90 m
Discharge volume	76 m <sup>3</sup> /h	12 m <sup>3</sup> /h	25 m <sup>3</sup> /h
Controller requirements	Controller required		
PAYGO integration capabilities	No		



# LORENTZ PSK2-SURFACE SERIES

A solar surface pump system.

Target use: Farmers, water utility companies, manufacturing companies, NGOs, international organizations

TERMS OF SALE  
Cash & carry  
Flexible installments

**Manufacturer:**

Lorentz  
Bernt Lorentz Gmbh & Co. Kg  
Siebenstuecken 24  
24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

**Distributor(s):**

Consultations Plus  
Talbus Engineering  
Mayaki Trading

**Distribution channels:**

Direct retail  
Online retail  
On order



# SPECS | Lorentz PSK2-Surface Series

Product models	PSK2-9 CS-F20-7	PSK2-9 CS-G100-22/2	PSK2-15-CS F32-60-2	PSK2-15-CS-G150-12.54
Product type	Surface mounted pump			
Pump type	Centrifugal	Centrifugal	Centrifugal	Centrifugal
Load	10,000 W	10,000 W	15,000 W	15,000 W
AC/DC coupled	DC	DC	DC	DC
Voltage range	575 V DC–850 V DC	575 V DC–850 V DC	575 V DC–850 V DC	575 V DC–850 V DC
Total dynamic head	80 m	120 m	80 m	135 m
Discharge volume	22 m <sup>3</sup> /h	20 m <sup>3</sup> /h	41 m <sup>3</sup> /h	25 m <sup>3</sup> /h
Controller requirements	Controller required			
PAYGO integration capabilities	No			



# OKAY SOLAR PUMP

Intelligent brushless pump.

**Target use:** Farmers, pools, irrigation projects, water supply, and individuals.

TERMS OF SALE  
Cash & carry

**Manufacturer:**

Okay Solar Pump, China

**Distributor(s):**

Groupe ETRAFOR  
Génie Electrique

**Distribution channels:**

Direct retail  
On order

# SPECS | Okay Solar Pump

<b>Product information</b>	
Product type	Submersible, model:Yds-2.0
Pump type	Helical
Load	600–800 W
Required solar panel size	600 W <sub>p</sub>
AC/DC coupled	DC
Voltage rrange	48V DC
Total dynamic head	15 m
Max discharge rate	40 m <sup>3</sup> /h
PAYGO integration capabilities	No



TERMS OF SALE  
Cash & carry  
Flexible installments

## SOLAR TECH PUMP MODEL GSPB/GSPM

A single solar-irrigation system consists of only one pump, a power-matched solar array, and an inverter. The aim of optimization is to reduce the amount of PV modules as much as possible on the premise of filling the requirement of the head and capacity. The rotational speed of the pump is regulated according to the irradiation of the solar array.

**Target use:** Agriculture irrigation, pasture-animal husbandry, city landscaping, and daily water supply.

**Manufacturer:**

Shenzhen Solar Tech Renewable  
Energy Co., Ltd., China  
4fl, Building 9  
+8675586151728  
[sales@solartech.net.cn](mailto:sales@solartech.net.cn)

**Distributor(s):**

Mayaki Trading

**Distribution channels:**

Direct retail  
Online retail

## SPECS | Solar Tech Pump Model GSPB/GSPM

Product information	
Product type	Submersible pump
Pump type	Centrifugal
Load	1,800–7,000 W
Required solar panel size	Software sizing
AC/DC coupled	DC/AC
Voltage range	220–380 AC
Total dynamic head	237 m
Max discharge rate	500 m <sup>3</sup> /h
Controller requirements	Yes
Max discharge rate	No



## SOLAR WORX SUBMERSIBLE DIAPHRAGM PUMP

A double diaphragm pump is a positive displacement pump that uses two flexible diaphragms that move back and forth, creating a temporary chamber that sucks and expels fluid through the pump.

**Target use:** Small- and medium-scale farmers, women's farmer association, water supply

TERMS OF SALE  
Cash & carry  
Flexible installments

**Manufacturer:**

Solar Worx Ug  
Danziger Str.64-10435, Berlin,  
Germany  
+49 306 229 379 62

**Distributor(s):**

High-Tech

**Distribution channels:**

Direct retail

# SPECS | Solar WorX Submersible Diaphragm Pump

Product information	
Product type	Submersible pump
Pump type	Diaphragm
Load	100 W
Required solar panel size	100 W <sub>p</sub>
AC/DC coupled	AC and DC
Voltage range	12V DC
Total dynamic head	70 m
Maximum discharge rate	0.36 m <sup>3</sup> /h
PAYGO integration capabilities	No

# SOLAR SPRAYERS

Solar Sprayers – List of Featured Products

Currently no listings for Niger



# SOLAR SPRAYERS

## Solar Sprayers – Introduction

Sprayers diffuse liquid chemicals into mists through a process known as atomizing. Farmers and other users operate these products to spray a variety of chemicals, such as disinfectants, fungicides, herbicides, insecticides, and pesticides. Farmers often apply them to row crops (e.g., cotton, cowpeas, groundnuts, tobacco, vegetables, sugarcane, sisal, and maize) and for the control of migrant pests (e.g., locusts, grasshoppers, and armyworms). In some cases, farmers use sprayers as medical solutions to strengthen the immune systems of poultry and the treat mange in pigs and other animals.

Many varieties of sprayers are available in sub-Saharan Africa. This catalog presents solar-powered, handheld models of the spinning-disc type, which are designed for smallholder farmers and low volumes of liquid. Some sprayers come equipped with integrated light-emitting diode (LED) lights to allow spraying at night. Solar sprayers can replace other varieties of sprayers that use disposable batteries, thus reducing long-term environmental impacts and costs.

## Special Considerations

In selecting the most appropriate sprayer for an activity, it is useful to compare data on run times and charging times as well as battery lifespans. Users may also consider the types of liquids (e.g., water-based products or CDA formulations) that the sprayer is designed to dispense. Other points of reference for decision-making include the volume capacity, flow rate range (measured in ml/min), and time needed to treat one hectare of land. It is essential to observe the precautions indicated by the manufacturer to minimize risks and promote the safety of operators.